

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	208	(template\$1 or preset or prestore\$1 or prestor\$3 or pre-store\$1 or pre-set or pre-stor\$3) NEAR5 (parameter\$1 or factor\$1 or variable\$1 or element\$1) NEAR5 (forecast\$3 or predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:10
L2	122	L1 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:12
L3	81	(predefin\$3) NEAR5 (parameter\$1 or factor\$1 or variable\$1 or element\$1) NEAR5 (forecast\$3 or predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:23
L4	25	L3 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:24
L5	758	(archived or stored) NEAR5 (parameter\$1 or factor\$1 or variable\$1 or element\$1) NEAR5 (forecast\$3 or predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:58
L6	1702	(archived or stored or previous\$2) NEAR5 (parameter\$1 or factor\$1 or variable\$1 or element\$1) NEAR5 (forecast\$3 or predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:58
L7	79	(run or execut\$4 or retriev\$3 or running or access\$3) NEAR8 (archived or stored or previous\$2) NEAR5 (parameter\$1 or factor\$1 or variable\$1 or element\$1) NEAR5 (forecast\$3 or predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:59

L8	41	L7 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 14:59
L9	20	forecast ADJ series	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:01
L10	41	L8 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:01
L11	10	L9 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:01
L12	77	(run or execut\$4 or retriev\$3 or running or access\$3) NEAR8 (preset or pre-set or predefin\$5 or pre-defin\$5 or archived or stored or previous \$2) NEAR5 (model\$1) NEAR5 (forecast\$3 or predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:45
L13	27	L12 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:45
L14	1982	(pick\$3 or select\$4 or choos \$3 or choice\$1) NEAR5 (forecast\$3 or predict\$4) NEAR4 (model\$1 or equation \$1 or formula\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:48
L15	617	L14 SAME (variable\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:49

L16	56	L15 SAME (stored or predefined or pre-defined or preset or pre-set or archiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:49
L17	17	L16 and (@ad<"20011109" or @rlad<"20011109" or @pd<"20011109" or @pt3d<"20011109")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/30 15:49
L18	3496	(705/10).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/30 16:29

11/ 30/ 2008 4:29:59 PM

C:\ Documents and Settings\ sdiaz\ My Documents\ EAST\ Workspaces\ 10008254.wsp